THE SOUTHWESTERN NATURALIST 40(4):456–468 DECEMBER 1995

INDEX TO VOLUME 40

Troy L. Best

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849–5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abbreviata, 111–114
  ranae, 113
  terrapenis, 331–333
Abies concolor, 76–85
Acacia, 30
  farnesiana, 379
  gregii, 355
  smallii, 379–387
Accipiter cooperi, 355
Acer negundo, 122, 135, 138
Acinonyx jubatus, 226
Acrididae, 162, 344
Actitis macularia, 99
Actual and estimated protein and lipid content of cinnamon teal migrating through New Mexico, Terri D. Thorn and Phillip J. Zwank, 229–231
Adolph, Stephen C., and Monica A. Geber, Mate-guarding, mating success and body size in the tropical millipede *Nyssodesmus python* (Peters) (Polydesmida: Platyrhacidae), 56–61
Aeronautes saxatalis, 99, 357
Agapostemon, 429
Agave lecheguilla, 355
Age prediction based on stem size for riparian cottonwood stands, Virginia H. Hinchman and Karl W. Birkeland, 406–409
Agropyron
  cristatum, 288
  smithii, 137
Agrostis stolonifera, 137
Aguirre, Juan Luis, see Peinado, Manual, —
Aimophila
  aestivalis, 62–67
  cassini, 357
  ruficeps, 358
Alaria mustelae, 114
Alcaraz, Francisco, see Peinado, Manual, —
Allenrolfea occidentalis, 400
Allenrolfeetum occidentalis, 394, 395, 402, 403
Alloporus uncinatus, 59, 60
Allossostoma parvus, 114
Allred, W. Sylvester, Black-bellied form of an Abert squirrel (*Sciurus aberti aberti*) from the San Francisco Peaks area, Arizona, 420
Alnus, 107, 238
  jorullensis, 122
Alona, 322
  circumfimbriata, 323
  karau, 323
Alvarado, Javier, Laura Ibarra, Ireri Suazo, Gerardo Rodríguez, and Rasalba Zamora, Reproductive characteristics of a green iguana (*Iguana iguana*) population on the west coast of Mexico, 234–237
Alvarez, Julio, see Peinado, Manual, —
Amblyopappo pusilli, 394, 402, 403
Amblyopappus pusillus, 400, 402
Amblyopsis rosae, 308–313
Amblystegium riparium, 431
Ambrosia
  artemisiifolia, 137
  psilostachya, 137
Ambystoma
  annulatum, 327–330
  jeffersonianum, 431, 432
  laterale, 329
  maculatum, 329
  opacum, 328, 329
  talpoideum, 329
  texanum, 328–330
  tigrinum, 329, 431, 432
  tremblayi, 329
Ambystomatidae, 327–330
Amiidae, 316
Ammospermophilus
  leucurus, 284
  nelsoni, 344
Ammotragus lervia, 147
Amorpha fruticosa, 137
Amphiachyris dracunculoides, 271
Amphispiza bilineata, 358
Anas
  acuta, 229
  cyanoptera, 229–231
  discors, 95, 231
  fulvigula, 325–327
Ancistrocactus tobuschii, 428–430
Andelt, William F., see Hein, Eric W., and —
Anderson, Allison A., Clark Hubbs, Kirk O. Winemiller, and Robert J. Edwards, Texas freshwater fish assemblages following three decades of environmental change, 314–321
Andropogon
  gerardii, 137
  hallii, 129, 137
  scoparius, 137
Anemone heterophylla, 429
Anguillidae, 316
Aniulus bollmani, 60
Anolis, 116
Anomopoda, 322–324
Anser
  albifrons, 68–75
  caerulescens, 229
Anthus
  rubescens, 94, 95
  spinoleta, 357
  spragueii, 357
Antilocapra americana, 38–41, 344
Anura, 111–116
Apetomon gracilis, 326, 327
Aphelocoma

THE SOUTHWESTERN NATURALIST 40(4):456–468 DECEMBER 1995

INDEX TO VOLUME 40

Troy L. Best

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849–5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abbreviata, 111–114
  ranae, 113
  terrapenis, 331–333
Abies concolor, 76–85
Acacia, 30
  farnesiana, 379
  gregii, 355
  smallii, 379–387
Accipiter cooperi, 355
Acer negundo, 122, 135, 138
Acinonyx jubatus, 226
Acrididae, 162, 344
Actitis macularia, 99
Actual and estimated protein and lipid content of cinnamon teal migrating through New Mexico, Terri D. Thorn and Phillip J. Zwank, 229–231
Adolph, Stephen C., and Monica A. Geber, Mate-guarding, mating success and body size in the tropical millipede *Nyssodesmus python* (Peters) (Polydesmida: Platyrhacidae), 56–61
Aeronautes saxatalis, 99, 357
Agapostemon, 429
Agave lecheguilla, 355
Age prediction based on stem size for riparian cottonwood stands, Virginia H. Hinchman and Karl W. Birkeland, 406–409
Agropyron
  cristatum, 288
  smithii, 137
Agrostis stolonifera, 137
Aguirre, Juan Luis, see Peinado, Manual, —
Aimophila
  aestivalis, 62–67
  cassini, 357
  ruficeps, 358
Alaria mustelae, 114
Alcaraz, Francisco, see Peinado, Manual, —
Allenrolfea occidentalis, 400
Allenrolfeetum occidentalis, 394, 395, 402, 403
Alloporus uncinatus, 59, 60
Allossostoma parvus, 114
Allred, W. Sylvester, Black-bellied form of an Abert squirrel (*Sciurus aberti aberti*) from the San Francisco Peaks area, Arizona, 420
Alnus, 107, 238
  jorullensis, 122
Alona, 322
  circumfimbriata, 323
  karau, 323
Alvarado, Javier, Laura Ibarra, Ireri Suazo, Gerardo Rodríguez, and Rasalba Zamora, Reproductive characteristics of a green iguana (*Iguana iguana*) population on the west coast of Mexico, 234–237
Alvarez, Julio, see Peinado, Manual, —
Amblyopappo pusilli, 394, 402, 403
Amblyopappus pusillus, 400, 402
Amblyopsis rosae, 308–313
Amblystegium riparium, 431
Ambrosia
  artemisiifolia, 137
  psilostachya, 137
Ambystoma
  annulatum, 327–330
  jeffersonianum, 431, 432
  laterale, 329
  maculatum, 329
  opacum, 328, 329
  talpoideum, 329
  texanum, 328–330
  tigrinum, 329, 431, 432
  tremblayi, 329
Ambystomatidae, 327–330
Amiidae, 316
Ammospermophilus
  leucurus, 284
  nelsoni, 344
Ammotragus lervia, 147
Amorpha fruticosa, 137
Amphiachyris dracunculoides, 271
Amphispiza bilineata, 358
Anas
  acuta, 229
  cyanoptera, 229–231
  discors, 95, 231
  fulvigula, 325–327
Ancistrocactus tobuschii, 428–430
Andelt, William F., see Hein, Eric W., and —
Anderson, Allison A., Clark Hubbs, Kirk O. Winemiller, and Robert J. Edwards, Texas freshwater fish assemblages following three decades of environmental change, 314–321
Andropogon
  gerardii, 137
  hallii, 129, 137
  scoparius, 137
Anemone heterophylla, 429
Anguillidae, 316
Aniulus bollmani, 60
Anolis, 116
Anomopoda, 322–324
Anser
  albifrons, 68–75
  caerulescens, 229
Anthus
  rubescens, 94, 95
  spinoleta, 357
  spragueii, 357
Antilocapra americana, 38–41, 344
Anura, 111–116
Apetomon gracilis, 326, 327
Aphelocoma

coerulescens, 88, 233
coervlescens, 183
ultramarina, 232–233, 341
Aphredoderidae, 316
Apis mellifera, 429
Aplectana americana, 114
Arbutus, 228
arizonica, 340
Archilocus alexandri, 357
Arctiidae, 232–233
Arctostaphylos, 340
Aristida, 274
Arita, Héctor T., and Jorge A. Vargas, Natural history, interspecific association, and incidence of the cave bats of Yucatán, México, 29–37
Arizona elegans, 334
Artemesia
filifolia, 288
ludoviciana, 137
Arthrocnemetea fruticosi, 388, 390
Arthrocnemetum
macrostachyi, 394, 395, 403
subterminalis, 394, 402, 403
Arthrocnemo glauci, 394, 395, 401, 403
Arthrocnemum, 393, 403
macrostachyum, 394, 396, 401
subterminale, 394, 399, 401
Artibeus
jamaicensis, 29, 33–35, 37
lituratus, 34
Ascaridia galli, 326
Asclepias pumila, 137
Aster, 137
Asteraceae, 268–272
Asteretea tripolium, 388–391
Atherinidae, 316
Atheriniformes, 11–17
Atriplex, 225, 263
canescens, 264
glauca, 397
hastata, 397
julacea, 395, 400
lentiformis, 262, 264
polycarpa, 360
prostrata, 399
semibaccata, 399
subspicata, 162
watsonii, 400
Atriplici
glaucae, 394, 402, 403
julaceae, 394, 395, 402
Atropoides nummifer, 122
Auriparus flaviceps, 357
Austin, Terry A., and Frederick B. Stangl, Jr., Variation in the deciduous dentition of pocket mice (Heteromyidae: *Perognathus* and *Chaetodipus*), 104–107
Avena, 87

Baccharis, 263
salicifolia, 262, 264
sarothroides, 264
Balda, Russell P., see Stotz, Nancy G., and —
Ballard, Bart M., and Thomas C. Tacha, Habitat use by geese wintering in southern Texas, 68–75
Ballinger, Royce E., see Smith, Geoffrey R., and —
Barrett, Paul J., and O. Eugene Maughan, Spatial habitat selection of roundtail chub (*Gila robusta*) in two central Arizona streams, 301–307
Barrya wrightii, 186
Baskin, Carol C., Jerry M. Baskin, and O. W. Van Auken, Temperature requirements for dormancy break and germination in achenes of the winter annual *Lindheimera texana* (Asteraceae), 268–272
Baskin, Jerry M., see Baskin, Carol C., —
Batis maritima, 399
Bdelloid rotifer from Sonora, Mexico, a new species of, Aydin Örstan, 255–258
Behavior and efficiency of juvenile armadillos (*Dasypus novemcinctus*) foraging on earthworms, Renn Tumlison and Creed Tumlison, 224–225
Berberis trifoliolata, 429
Bergman, David L., Robert D. Bluett, and Alan R. Tipton, An alternative method for capturing armadillos, 414–416
Berkhouse, Casey S., and Joe N. Fries, Critical thermal maxima of juvenile and adult San Marcos salamanders (*Eurycea nana*), 430–434
Bermudez, Francisca C., James N. Stuart, Jennifer K. Frey, and Raul Valdez, Distribution and status of the Virginia opossum (*Didelphis virginiana*) in New Mexico, 336–340
Bermudez, Francisca C., see Frey, Jennifer K., —
Best, Troy L., see Gay, Samantha W., and —
Betula papyrifera, 130, 135
Bezy, Robert L., see Goldberg, Stephen R., —
Bich, Brian S., Jack L. Butler, and Cheryl A. Schmidt, Effects of differential livestock use on key plant species and rodent populations within selected *Oryzopsis hymenoides/Hilaria jamesii* communities of Glen Canyon National Recreation Area, 281–287
Birds of a creosotebush community in the Cuatrocienegas Basin, Coahuila, Mexico, Juan A. García-Salas, Armando J. Contreras-Balderas, and José I. González-Rojas, 355–359
Birkeland, Karl W., see Hinchman, Virginia H., and —
Black-bellied form of an Abert squirrel (*Sciurus aberti aberti*) from the San Francisco Peaks area, Arizona, W. Sylvester Allred, 420
Blarina, 46
Block William M., see Morrison, Michael L., —
Bluett, Robert D., see Bergman, David L., —
Boleichthys, 424
Bosmina
coregoni, 323, 324
longirostris, 323, 324
Bosminidae, 322, 323
Bothidae, 297–300
Bothriechis rowleyi, 124–125
Bouteloua
barbata, 355
curtipendula, 273–280
gracilis, 137, 288
hirsuta, 137
Brachycoelium salamandrae, 111, 112, 114
Branchiopoda, 322–324
Brandt, Thomas M., see Simon, Thomas P., —
Branta canadensis, 68–75
Breeding biology of secondary cavity-nesting birds in Oklahoma, Darrell W. Pogue and William A. Carter, 167–173
Brickellia grandiflora, 186
Brillhart, Dennis E., and Donald W. Kaufman, Spatial and seasonal variation in prey use by coyotes in north-central Kansas, 160–166
Bromus, 87
diandrus, 394
madritensis, 360
mollis, 394
tectorum, 137, 288
Buchloe dactyloides, 274
Budorcas taxicolor, 147
Bufo
punctatus, 185, 187, 188
valliceps, 122
Burge, Lurinda J., see Lish, James W., and —
Bursera simaruba, 30
Bursey, Charles R., see Goldberg, Stephen R., —
Bursey, Charles R., see McAllister, Chris T., —
Busch, David E., Effects of fire on southwestern riparian plant community structure, 259–267
Bush, J. K., and O. W. Van Auken, Interactions between seedlings of an early and a late successional woody species, 379–387
Buteo
jamaicensis, 174–179
nitidus, 341
Butler, Jack L., see Bich, Brian S., —

Cache and recovery behavior of wild pinyon jays in northern Arizona, Nancy G. Stotz and Russell P. Balda, 180–184
Cactaceae, 428–430
Caesalpinia gaumeri, 30
Caesar, B. L., see Yoder, C. K., —
Caiman, 156
Calamospiza melanocorys, 358
Calamovilfa longifolia, 129, 137
Callipepla
californica, 86
squamata, 357
Camarillo R., José L., see Campbell, Jonathan A., —
Cambarus aculabrum, 309
Campanotus, 53
Campbell, Jonathan A., José L. Camarillo R., and Paul C. Ustach, Redescription and rediagnosis of *Tantilla shawi* (Serpentes: Colubridae) from the Sierra Madre Oriental of Mexico, 120–123
Camponotus, 54
Campylorhynchus brunneicapillus, 357
Canis
familiaris, 415
latrans, 46, 101–104, 160–166, 288, 342–349, 360–365
lupus, 156
Capillaria, 326
tenua, 114
Capra
caucasica, 147
cylindricornus, 147
falconeri, 147
ibex, 147
nubiana, 147
pyrenaica, 147
siberica, 147
walie, 147
Caprimulgus vociferus, 80, 99
Caprinae, 139–147
Capturing armadillos, an alternative method for, David L. Bergman, Robert D. Bluett, and Alan R. Tipton, 414–416
Carabidae, 162
Caracal caracal, 153
Carcass selection in a high altitude population of the burying beetle, *Nicrophorus investigator* (Silphidae), Rosemary J. Smith and Bryce Heese, 50–55
Cardellina rubrifrons, 81
Cardenas, M., see Clemente, F., —
Cardinalis
cardinalis, 357
sinuatus, 357
Carduelis pinus, 80, 232
Carex
brevior, 137
eleocharis, 137
filifolia, 137
glareosa, 389
heliophila, 137
hystericina, 137
lanuginosa, 137
meadii, 137
Carici, 388–391
Carlson, D. H., see Yoder, C. K., —
Carnegea gigantea, 102
Carnivora, 227–228
Carollia perspicillata, 33, 35, 37
Carpenter, Geoffrey C., Notochordal filament in young gar: morphological characteristics, 427–428
Carpodacus
cassinii, 80
mexicanus, 358
Carter, William A., see Pogue, Darrell W., and —
Castor canadense, 107, 238
Catharus guttatus, 80, 81
Catherpes mexicanus, 357
Catoptrophorus semipalmatus, 99
Catostomidae, 316
Catostomus
clarki, 239, 240, 425–426
commersoni, 240
discobolus, 240
insignis, 240
latipinnis, 239
plebeius, 237–241
santaanae, 240
Caudata, 327–330
Ceanothus cuneatus, 86
Celtis
laevigata, 379–387
occidentalis, 138
pallida, 355, 415
Cenchrus longispinus, 134, 137
Centrarchidae, 316
Centurus
aurifrons, 153
striatus, 153
Cercocarpus betuloides, 186
Ceriodaphnia
lacustris, 322
quadrangula, 323, 324
Ceriodaphnia rigaudi, 323
Certhia americana, 80
Cervus elaphus, 344
Ceryle alcyon, 95
Chacón, Elias, see Servín, Jorge, —
Chaetodipus, 104–107
arenarius, 104
baileyi, 104
californicus, 225–226, 344
fallax, 226
formosus, 104, 106, 226
hispidus, 104–106, 162
intermedius, 104, 284
nelsoni, 104, 106
penicillatus, 104
Characidae, 316
Characteristics of brushpiles used by birds in northern California, W. Paul Gorenzel, Sonke A. Mastrup, and E. Lee Fitzhugh, 86–93
Charadrius vociferus, 94, 97, 357
Chasmistes cujas, 240
Chen caerulescens, 68–75
Chiropterotriton
arboreus, 122
multidentatus, 122
Chondestes grammacus, 358
Chordeiles acutipennis, 357
Chrotopterus auritus, 33–37
Chrysothamnus nauseosus, 288
Chydoridae, 323
Chydorus sphaericus, 323, 324
Cicadidae, 162
Cichlidae, 316
Cistanche phelipaea, 397
Cistancho luteae, 393, 395, 403
Citharichthys spilopterus, 297–300
Cladocerans (Brachiopoda: Anomopoda; Ctenopoda) of the Nuevo Leon state, Mexico, Gabino A. Rodriguez-Almaraz and Antonio Leija-Tristan, 322–324
Clark, Donald R., Jr., and Grey W. Pendleton, Texas rat snake (*Elaphe obsoleta lindheimeri*) eggs and hatchlings from a communal nest, 203–207
Clemente, F., R. Valdez, J. L. Holechek, P. J. Zwank, and M. Cardenas, Pronghorn home range relative to permanent water in southern New Mexico, 38–41
Clethra mexicana, 122
Clinostomum complanatum, 114
Cloacotaenia megalops, 325–327
Clupeidae, 316
Cnemidophorus, 99
Cnemidophorus, 185, 190
sexlineatus, 113
sonorensis, 187, 188
Coccothraustes vespertinus, 97
Cochlearia officinalis, 389
Cochran, Betty G., see McAllister, Chris T., —
Colaptes auratus, 88
Coleogyne ramosissima, 282, 285, 367
Colubridae, 119–120, 120–123, 123–124, 334–335
Columba fasciata, 80, 81
Columbina
inca, 357
passerina, 357
Condalia, 102
Coniophanes imperialis, 122
Constitution, Southwestern Association of Naturalists, 435–441
Contopus sordidulus, 80, 99
Contreras-Balderas, Armando J., see García-Salas, Juan A., —
Contreras-Balderas, Salvador, see Echelle, Anthony A., —
Conyza canadensis, 137

Cophosaurus texanus, 193–202
Cordylanthus maritimus, 400
Coregonus peled, 243
Corse, Michelle C., see Kneeland, Mary C., —
Corvidae, 232–233
Corvus
  corax, 357
  cryptoleucus, 357
Corynosoma, 326
Cosmocercoides
  dukae, 114, 329
  variabilis, 111–113, 328, 329
  variablis, 114
Cottus carolinae, 312
Coyote morphometric characteristics and mass dynamics in the San Joaquin Valley, California, Brian L. Cypher, 360–365
Crataegus mexicana, 122
Cressa truxillensis, 400
Critical thermal maxima of juvenile and adult San Marcos salamanders (*Eurycea nana*), Casey S. Berkhouse and Joe N. Fries, 430–434
Crotalus
  atrox, 188
  lepidus, 187, 188, 191
  molossus, 187, 188
  pricei, 188, 191
  viridis, 334
  willardi, 188, 191
Cryptotis parva, 162
Ctenopoda, 322–324
Cualac, 13
Cupressus arizonica, 340
Curicta scorpio, 250
Cuscuta salina, 400, 401
Cyanocitta stelleri, 97, 182, 233
Cynomys ludovicianus, 45, 46, 288
Cypher, Brian L., Coyote morphometric characteristics and mass dynamics in the San Joaquin Valley, California, 360–365
Cyprinella
  bocagrande, 9
  formosa, 9
  garmani, 9
  lepida, 5, 9
  lutrensis, 5–10
  panarcys, 9
  proserpinus, 9
  rutila, 9
  xanthicara, 9
Cyprinidae, 5–10, 316, 319
Cypriniformes, 107–110, 237–241
Cyprinodon
  alvarezi, 11–16
  ceciliae, 12–16
  diabolis, 216–223
  elegans, 318
  eximius, 12–15
  inmemoriam, 12, 16
  longidorsalis, 12–16
  longispinus, 15
  macularius, 219
  nevadensis, 219
  nobilis, 318
  pecosensis, 319
  veronicae, 12–16
Cyprinodontidae, 11–17, 316, 319

Danaus plexippus, 233
Dao, Tony C., see Spiegel, Linda K., —
Daphnia, 322
  ambigua, 323, 324
  parvula, 323, 324
  similis, 323
Daphnidae, 323
Dasypus novemcinctus, 224–225, 414–416
Deacon, James E., Frances R. Taylor, and John W. Pedretti, Egg viability and ecology of Devils Hole pupfish: insights from captive propagation, 216–223
Delgadillo, José, see Peinado, Manual, —
Den characteristics and survivorship of woodrats (*Neotoma lepida*) in the eastern Mojave Desert, Felisa A. Smith, 366–372
Dendroica
  coronata, 76, 80
  graciae, 81
  nigrescens, 232
Dermanura phaeotis, 33
Desmodium canadense, 137
Desmodus rotundus, 34, 35, 37
Diabrotica undecimpunctata, 429
Dialictus
  comulus, 429
  pruinosiformis, 429
Diaphanosoma birgei, 323, 324
Dicamptodon ensatus, 329
Dicanthelium oligosanthes, 137
Dicranotaenia coronula, 326
Didelphis virginiana, 162, 288, 336–340
Diemictylus viridescens, 432
Diets of coyotes near the boundary of Saguaro National Monument and Tucson, Arizona, Mark F. McClure, Norman S. Smith, and William W. Shaw, 101–104
Dionda diaboli, 319
Diorchis, 325
  bulbodes, 326
Diphylla ecaudata, 34, 35, 37
Dipodomys
  heermanni, 344
  ingens, 344
  nitratoides, 344
  ordii, 45, 46, 104, 106, 153, 162, 284
Distichlidetum spicatae, 394, 401
Distichlis spicata, 264, 394, 399, 401
Dronen, Norman O., see Schmid, Jennifer L., —
Duchesnia indica, 224

Echelle, Alice F., see Echelle, Anthony A., —
Echelle, Anthony A., Alice F. Echelle, Salvador Contreras-Balderas, and Lourdes Lozano-Vilano, Genetic variation in the endangered fish fauna (Atheriniformes: Cyprinodontidae) associated with Pluvial Lake Sandia, Nuevo Leon, Mexico, 11–17
Echinocactus horizonthalonius, 355
Echinocereus
  coccineus, 428
  enneacanthus, 355, 428
Echinocotyle, 325–327
Echinoparyphium
  flexum, 326, 327
  recurvatum, 326
  recuryatum, 327
Echinostoma revolutum, 326
Edwards, Robert J., see Anderson, Allison A., —
Egg viability and ecology of Devils Hole pupfish: insights from captive propagation, James E. Deacon, Frances R. Taylor, and John W. Pedretti, 216–223
Elaeagnus angustifolia, 289
Elanoides forficatus, 419
Elaphe obsoleta, 170, 203–207
Elassomatidae, 316
Eleocharis erythropoda, 137
Eleodes, 344
Eleutherodactylus mexicanus, 122
Elgaria kingi, 188, 190
Elrod, Douglas A., and Michael L. Kennedy, Microgeographic variation in morphometric characters of the white-footed mouse, *Peromyscus leucopus*, 42–49
Empidonax
  oberholseri, 80
  occidentalis, 80
  wrightii, 357
Endoparasites of the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), in Arkansas, Chris T. McAllister, Stanley E. Trauth, and Betty G. Cochran, 327–330
Engeman, Richard M., see Villa-Cornejo, Beatriz, —
Enterolobium cyclocarpum, 30
Environmental correlates of distribution and abundance for *Lythrurus snelsoni*: a range-wide analysis of an endemic fish species, Christopher M. Taylor and Philip W. Lienesch, 373–378
Epithelantha micromeris, 428
Eptesicus furinalis, 34
Equisetum
  arvense, 137
  laevigatum, 137

Eragrostis trichodes, 137
Eremophila alpestris, 347, 357
Erigeron bellidiastrum, 137
Eriogonum annuum, 137
Ermophila alpestris, 98
Erodium, 87
  cicutarium, 360
Esocidae, 316
Etheostoma, 319
  boschungi, 422, 424
  cragini, 422, 424
  exile, 212
  fonticola, 208–215, 433
  fusiforme, 212
  gracile, 212
  microperca, 212
  pallididorsum, 422–425
  proeliare, 212
  punctulatum, 424
  spectabile, 214
  trisella, 422, 424
Eumeces callicephalus, 188
Eumops bonariensis, 34
Euphagus cyanocephalus, 94, 97, 358
Euphorbia
  marginata, 162
  missurica, 137
Eurema nicippe, 429
Eurycea
  bislineata, 433
  longicauda, 433
  lucifuga, 433
  multiplicata, 112
  nana, 430–434
  neotenes, 433
  pterophila, 433
Euryhelmis monorchis, 114

Fair, Jeanne M., see Kennedy, Patricia L., —
Falco peregrinus, 94–100
Felidae, 226
Felis
  catus, 226
  chaus, 153
  concolor, 101
  rufus, 101, 288
  silvestris, 153
Festuca, 87
  octoflora, 137
Ficus, 30
Fimbriaria fasciolaris, 326
Fire on southwestern riparian plant community structure, effects of, David E. Busch, 259–267
Fitzgerald, Lee A., see Sugg, Derrick W., —
Fitzhugh, E. Lee, see Gorenzel, W. Paul, —
Fleeger, John W., see Toepfer, Conrad, and —
Fonteyn, Paul J., see Power, Paula, and —
Fouquieria splendens, 355
Fraga, Javier H., see Frey, Jennifer K., —
Frankenia
  corymbosa, 397, 401
  palmeri, 395, 400
  pulverulenta, 397
  salina, 399, 401
Frankenietea salinae, 391
Frankenietum
  palmeri, 394, 395, 402
  pulverulentae, 395, 402, 403
Frankenio
  corymbosae, 394, 395, 403
  grandifoliae, 401
  salinae, 393, 394, 403
Fraxinus
  pennsylvanica, 130, 135, 138
  velutina, 407
Frey, Jennifer K., Javier H. Fraga, and Francisca C. Bermudez, A new locality of the montane vole (*Microtus montanus arizonensis*) in New Mexico, 421–422
Frey, Jennifer K., see Bermudez, Francisca C., —
Fries, Joe N., see Berkhouse, Casey S., and —
Fundulidae, 316
Fundulus olivaceus, 310
Fuscatelum, 424

Gaillardia pulchella, 271
Gambusia
  affinis, 319
  amistadensis, 318
  georgei, 318
García-Salas, Juan A., Armando J. Contreras-Balderas, and José I. González-Rojas, Birds of a creosotebush community in the Cuatrocienegas Basin, Coahuila, Mexico, 355–359
Gay, Samantha W., and Troy L. Best, Geographic variation in sexual dimorphism of the puma (*Puma concolor*) in North and South America, 148–159
Geber, Monica A., see Adolph, Stephen C., and —
Genetic variation in the endangered fish fauna (Atheriniformes: Cyprinodontidae) associated with Pluvial Lake Sandia, Nuevo Leon, Mexico, Anthony A. Echelle, Alice F. Echelle, Salvador Contreras-Balderas, and Lourdes Lozano-Vilano, 11–17
Geococcyx californianus, 357
Geographic variation in nuptial colors of red shiner (*Cyprinella lutrensis*; Cyprinidae) within the United States, William J. Matthews, 5–10
Geographic variation in sexual dimorphism of the puma (*Puma concolor*) in North and South America, Samantha W. Gay and Troy L. Best, 148–159
Geomys
  breviceps, 410
  bursarius, 162, 410
  floridanus, 410
Geophis rhodogaster, 123–124
Geophis rhodogaster (Colubridae), an addition to the snake fauna of Mexico, Eric N. Smith, 123–124
Gerhardt, Dawn McAnnis, see Gerhardt, Richard P., and —
Gerhardt, Richard P., and Dawn McAnnis Gerhardt, Two gray fox litters share den, 419
Gerrhonotus liocephalus, 122
Gerridae, 60
Gestation periods and birth weights of desert bighorn sheep in relation to other Caprinae, Christine C. Hass, 139–147
Gila
  ditaenia, 109
  intermedia, 110
  pandora, 107–110, 240
  purpurea, 109, 110
  robusta, 109, 301–307
Glaux maritima, 389
Glossophaga soricina, 33–35, 37
Glycyrrhiza lepidota, 137
Glypthelmins quieta, 111, 112, 114
Goldberg, Stephen R., Charles R. Bursey, and Robert L. Bezy, Helminths of isolated montane populations of Yarrow's spiny lizard, *Sceloporus jarrovii* (Phrynosomatidae), 330–333
Goldberg, Stephen R., Reproduction in the lyre snake, *Trimorphodon biscutatus* (Colubridae), from Arizona, 334–335
Goldberg, Stephen R., Reproduction in the western patchnose snake, *Salvadora hexalepis*, and the mountain patchnose snake, *Salvadora grahamiae* (Colubridae), from Arizona, 119–120
González-Rojas, Jose I., see García-Salas, Juan A., —
Gorenzel, W. Paul, Sonke A. Mastrup, and E. Lee Fitzhugh, Characteristics of brushpiles used by birds in northern California, 86–93
Gorgodera amplicava, 114
Gorgoderina attenuata, 114
Graves, Kerry G., see Simon, Thomas P., —
Gray fox litters share den, two, Richard P. Gerhardt and Dawn McAnnis Gerhardt, 419
Greene, Erick, see Siemens, David H., and —
Growth rate, timing of reproduction, and size dimorphism in the southwestern earless lizard (*Cophosaurus texanus*

scitulus), Derrick W. Sugg, Lee A. Fitzgerald, and Howard L. Snell, 193–202
Gryllacrididae, 344
Guiraca caerulea, 357
Gutberlet, Ronald L., Jr., A new locality for Rowley's palm pitviper, *Bothriechis rowleyi* (Serpentes: Viperidae), a Mexican relict, 124–125
Gutierrezia sarothrae, 281, 283–285
Gymnorhinus cyanocephalus, 97, 180–184, 233

Habitat characteristics and monitoring of amphibians and reptiles in the Huachuca Mountains, Arizona, Michael L. Morrison, William M. Block, Linnea S. Hall, and H. Sheridan Stone, 185–192
Habitat use by geese wintering in southern Texas, Bart M. Ballard and Thomas C. Tacha, 68–75
Haematoloechus medioplexus, 114
Haggerty, Thomas M., Nest-site selection, nest design and nest-entrance orientation in Bachman's sparrow, 62–67
Halimione portulacoides, 396, 401
Halipegus, 114
Hall, Linnea S., see Morrison, Michael L., —
Hall, Linnea S., see Morton, Martin L., —
Halocnemum strobilaceum, 397
Hannemania, 111, 112
dunni, 113
Haplometrana intestinalis, 114
Hass, Christine C., Gestation periods and birth weights of desert bighorn sheep in relation to other Caprinae, 139–147
Hedeoma hispida, 137
Heese, Bryce, see Smith, Rosemary J., and —
Heicher, Bill, see Tischendorf, Jay W., —
Hein, Eric W., and William F. Andelt, Evaluation of indices of abundance for an unexploited badger population, 288–292
Helenium amarum, 271
Helianthus, 162
Heliotropium curassavicum, 400
Helminths of isolated montane populations of Yarrow's spiny lizard, *Sceloporus jarrovii* (Phrynosomatidae), Stephen R. Goldberg, Charles R. Bursey, and Robert L. Bezy, 330–333
Hemihalea edwardsi, 232, 233
Hemiptera, 249–254
Hemitragus
hylocrius, 147
jayakari, 147
jemlahicus, 147
Heteromyidae, 104–107
Hilaria
belangeri, 273–280
jamesii, 281–287
Hill, Jeffrey P., see Ivanyi, Craig, S., —
Hinchman, Virginia H., and Karl W. Birkeland, Age prediction based on stem size for riparian cottonwood stands, 406–409
Hirundo
pyrrhonata, 97
pyrrhonota, 357
rustica, 357
Holechek, J. L., see Clemente, F., —
Hordeum
depressum, 394
marinum, 396, 401
Hubbs, Clark, see Anderson, Allison A., —
Huxley, Carmen, see Servín, Jorge, —
Hyla avivoca, 112, 113
Hymenoclea salsola, 360
Hymenolobus procumbens, 394, 398, 402, 403
Hymenoxys linearifolia, 271
Hypoderaeum conoideum, 326

Ibarra, Laura, see Alvarado, Javier, —
Ictaluridae, 316, 319
Icterus
cucullatus, 358
galbula, 66
parisorum, 358
spurius, 358
Iguana iguana, 234–237
Ilyocryptus spinifer, 323, 324
Indices of abundance for an unexploited badger population, evaluation of, Eric W. Hein and William F. Andelt, 288–292
Interactions between seedlings of an early and a late successional woody species, J. K. Bush and O. W. Van Auken, 379–387
Intestinal helminths of mottled ducks, *Anas fulvigula maculosa*, from the East Texas gulf coast, Jennifer L. Schmid, Norman O. Dronen, and Merrill H. Sweet, III, 325–327
Inula crithmoides, 397, 401
Inulo crithmoidis, 394, 395, 403
Iridoprocne bicolor, 167
Isomeris arborea, 360
Ivanyi, Craig S., Jeffrey P. Hill, and William J. Matter, Time of spawning by desert sucker, 425–426

Janecek, Laura L., The Southwestern Association of Naturalists minutes of the annual business meeting Centenary College of Louisiana and Louisiana State University in Shreveport Friday, 7 April 1995, 448–451
Janecek, Laura L., The Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers Centenary College, Shreveport, Louisiana Thursday, 6 April 1995, 442–447
Jatropha dioica, 355
Jaumea carnosa, 399, 401
Jaumeo, 401
carnosae, 394
Johnson, James E., see Means, Myron L., and —
Johnson, Ned K., Seven avifaunal censuses spanning one-half century on an island of white firs (*Abies concolor*) in the Mojave Desert, 76–85
Johnston, Carol E., Spawning behavior of the paleback darter, *Etheostoma pallididorsum*, (Percidae), 422–425
Juglans nigra, 135
Juncetum
acuti, 401, 403
subulati, 394, 395, 401, 403
Junco, 79
caniceps, 77, 80, 81
hyemalis, 77, 80, 81, 88
Juncus, 403
acutus, 400, 401
dudleyi, 137
subulatus, 397, 401
Juniperus, 182
ashei, 274
deppeaena, 232
deppeana, 186, 340
osteosperma, 19, 77, 282, 407
virginiana, 131, 135, 138, 162
virginianus, 168

Kantak, Gail E., Terrestrial plant communities of the middle Niobrara Valley, Nebraska, 129–138
Kaufman, Donald W., see Brillhart, Dennis E., and —
Kennedy, Michael L., see Elrod, Douglas A., and —
Kennedy, Patricia L., Dale W. Stahlecker, and Jeanne M. Fair, Organochlorine concentrations in potential avian prey of breeding peregrine falcons in north-central New Mexico, 94–100
Kneeland, Mary C., John L. Koprowski, and Michelle C. Corse, Potential predators of Chiricahua fox squirrels (*Sciurus nayaritensis chiricahuae*), 340–342
Kochia americana, 288
Koeleria pyramidata, 137
Koprowski, John L., see Kneeland, Mary C., —
Krigia gracilis, 271
Kurzia latissima, 323, 324

Labidesthes sicculus, 320
Laguncularietea racemosae, 389–391
Lampropeltis
pyromelana, 188
triangulum, 122
Lanius ludovicianus, 183, 357
Larrea tridentata, 355–359
Lasioglossum morrilli, 429
Lasiurus
ega, 34
intermedius, 34
Late Pleistocene peccary from northwestern New Mexico, Spencer G. Lucas and Richard A. Smartt, 293–296
Leguminosae, 30
Leija-Tristan, Antonio, see Rodriguez-Almaraz, Gabino A., —
Leopardus pardalis, 156
Lepidium
densiflorum, 137
nitidum, 400
Lepidophyma
pajapanensis, 122
sylvaticum, 122
Lepisosteidae, 316, 427–428
Lepisosteus, 427–428
Leptodeira septentrionalis, 122
Leptospira, 415
Lepus
americanus, 160
californicus, 160, 288, 344
Levinseniella, 326
Leydigia
acanthocercoides, 323
quadrangularis, 323, 324
Lienesch, Philip W., see Taylor, Christopher M., and —
Life history of *Ancistrocactus tobuschii* (Cactaceae) in Kinney County, Texas, notes on, Mark W. Lockwood, 428–430
Life history parameters in mice exposed to a prolonged drought, Martin L. Morton, Michael L. Morrison, Linnea S. Hall, and Maria E. Pereyra, 18–28
Limonio californici, 391
Limonium
angustebracteatum, 397
caesium, 397
californicum, 399, 401
cossonianum, 397
eugeniae, 396
ferulaceum, 396
vulgare, 396
Limosa fedoa, 98
Lindheimera texana, 268–272
Liquidambar macrophylla, 122
Lish, James W., and Lurinda J. Burge, Population characteristics of red-tailed hawks wintering on tallgrass prairies in Oklahoma, 174–179
Livestock use on key plant species and rodent populations within selected *Oryzopsis hymenoides/Hilaria jamesii* communities of Glen Canyon National Recreation Area, effects of differential, Brian S. Bich, Jack L. Butler, and Cheryl A. Schmidt, 281–287
Lockwood, Mark W., Notes on life history of *Ancistrocactus tobuschii* (Cactaceae) in Kinney County, Texas, 428–430
Lolium multiflorum, 394, 403
Long-range movement in the California pocket mouse (*Chaetodipus californicus*), an occurrence of, Linda K. Spiegel, Michael F. Small, Judith Tom, and Tony C. Dao, 225–226
Lopez-Forment, William, see Villa-Cornejo, Beatriz, —
Lophocampa argentata, 232, 233
Lophosoria quadripinnata, 122
Loxia curvirostra, 97
Lozano-Vilano, Lourdes, see Echelle, Anthony A., —
Lucas, Spencer G., and Richard A. Smartt, Late Pleistocene peccary from northwestern New Mexico, 293–296
Lycium californicum, 400
Lynx rufus, 154
Lysiloma latisiliqua, 30
Lythrum alatum, 137
Lythrurus
snelsoni, 373–378
umbratilis, 373

Macrothricidae, 323
Macrothrix
hirsuticornis, 323, 324
laticornis, 323, 324
rosea, 323
Macrotrachela
crucicornis, 256
longistyla, 256
sonorensis, 255–258
Macrotus waterhousii, 33
Marking otoliths in razorback sucker embryos and larvae with fluorescent chemicals, Robert T. Muth and Steven M. Meismer, 241–244
Marsh-edge habitat variables on feeding success by juvenile bay whiff, *Citharichthys spilopterus* (Teleostei: Bothidae), effects of, Conrad Toepfer and John W. Fleeger, 297–300
Martes americana, 153
Masticophis bilineatus, 188
Mastrup, Sonke A., see Gorenzel, W. Paul, —
Mate-guarding, mating success and body size in the tropical millipede *Nyssodesmus python* (Peters) (Polydesmida: Platyrhacidae), Stephen C. Adolph and Monica A. Geber, 56–61
Matter, William J., see Ivanyi, Craig, S., —
Matthews, William J., Geographic variation in nuptial colors of red shiner (*Cyprinella lutrensis*; Cyprinidae) within the United States, 5–10
Maughan, O. Eugene, see Barrett, Paul J., and —
McAllister, Chris T., Stanley E. Trauth, and Betty G. Cochran, Endoparasites of the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), in Arkansas, 327–330
McAllister, Chris T., Stanley E. Trauth, and Charles R. Bursey, Parasites of the pickerel frog, *Rana palustris* (Anura: Ranidae), from the southern part of its range, 111–116
McClure, Mark F., Norman S. Smith, and William W. Shaw, Diets of coyotes near the boundary of Saguaro National Monument and Tucson, Arizona, 101–104
Means, Myron L., and James E. Johnson, Movement of threatened Ozark cavefish in Logan Cave National Wildlife Refuge, Arkansas, 308–313
Medicago lupulina, 137
Megupsilon, 13, 16
aporus, 11, 12, 14, 15
Meismer, Steven M., see Muth, Robert T., and —
Melanerpes aurifrons, 357
Melia azedarach, 203
Menidia beryllina, 316, 319, 320
Mephitis mephitis, 347
Mesembryanthemetum
crystallini, 403
crystallino-nodiflori, 395, 403
nodiflori, 394, 402
Mesembryanthemum, 403
crystalinum, 397
crystallinum, 394, 400, 402, 403
nodiflorum, 394, 397, 400, 402, 403
Mesocestoides, 111, 112, 114, 331–333
lineatus, 113
Mexican jays (*Aphelocoma ultramarina*, Corvidae) overcoming defenses of two species of wooly bear caterpillars (Arctiidae), observations of, David H. Siemens and Erick Greene, 232–233
Micrathene whitneyi, 357
Microgeographic variation in morphometric characters of the white-footed mouse, *Peromyscus leucopus*, Douglas A. Elrod and Michael L. Kennedy, 42–49
Micronycteris megalotis, 32, 35, 37
Microsomacanthus hopkinsi, 326, 327
Microtus, 53
longicaudus, 51
montanus, 51, 421–422
ochrogaster, 162
pennsylvanicus, 162
Micrurus bernadi, 122
Mimon bennettii, 33, 35, 37

Mimosa bahamensis, 30
Mimus polyglottos, 357
Mniobia circinata, 258
Moina
  macropa, 323
  micrura, 323, 324
Moinidae, 322, 323
Molothrus ater, 95, 358
Monanthochloe littoralis, 394, 399, 401
Monanthochloo, 401, 403
  littoralis, 394, 402
Montane vole (*Microtus montanus arizonensis*) in New Mexico, a new locality of the, Jennifer K. Frey, Javier H. Fraga, and Francisca C. Bermudez, 421–422
Mormoops megalophylla, 31–35, 37
Moronidae, 316
Morrison, Michael L., see Morton, Martin L., —
Morrison, Michael L., William M. Block, Linnea S. Hall, and H. Sheridan Stone, Habitat characteristics and monitoring of amphibians and reptiles in the Huachuca Mountains, Arizona, 185–192
Morton, Martin L., Michael L. Morrison, Linnea S. Hall, and Maria E. Pereyra, Life history parameters in mice exposed to a prolonged drought, 18–28
Morus, 162
Movement of threatened Ozark cavefish in Logan Cave National Wildlife Refuge, Arkansas, Myron L. Means and James E. Johnson, 308–313
Muhlenbergia
  cuspidata, 137
  pungens, 134
Mus musculus, 162
Mustela
  erminea, 154
  frenata, 154
  nivalis, 154
Mustelidae, 227–228
Muth, Robert T., and Steven M. Meismer, Marking otoliths in razorback sucker embryos and larvae with fluorescent chemicals, 241–244
Mycobacterium leprae, 415
Myiarchus
  cinerascens, 232
  cinerasces, 357
  crinitus, 355, 357
  tuberculifer, 232
  tyrannulus, 357
Myioborus pictus, 81
Mylohyus, 293
Myotis
  grisescens, 309
  keaysi, 34, 35, 37
Myxidium serotinum, 111, 112, 328, 329

Naemorhedus
  crispus, 147
  goral, 147
  sumatraensis, 147
Natalus stramineus, 29, 32–35, 37
Natural history, interspecific association, and incidence of the cave bats of Yucatán, México, Héctor T. Arita, and Jorge A. Vargas, 29–37
Naucoridae, 249–254
Naucoris femorata, 253
Neonates of Merriam's pocket gopher (*Pappogeomys merriami merriami*), a description of, Beatriz Villa-Cornejo, Richard M. Engeman, and William Lopez-Forment, 410–411
Neotoma
  floridana, 162
  lepida, 284, 344, 366–372
Nest-site selection, nest design and nest-entrance orientation in Bachman's sparrow, Thomas M. Haggerty, 62–67
Nicrophorus
  americanus, 50, 53, 54
  investigator, 50–55
  orbicollis, 53, 54
  pustulatus, 53, 54
  vespilloides, 53
Ninia diademata, 122
Noctilio leporinus, 34
Norops naufragus, 122
Northward extension of the range of Richmond's squirrel, *Sciurus richmondi*, Frederick A. Ulmer, Jr., 416–418
Notochordal filament in young gar: morphological characteristics, Geoffrey C. Carpenter, 427–428
Notocotylus attenuatus, 326
Notophthalmus
  maculosus, 432
  viridescens, 432
Notropis fumeus, 373
Nucifraga
  caryocatactes, 183
  columbiana, 83
Nyctinomops laticaudatus, 34
Nyctotherus cordiformis, 111, 112
Nyssodesmus python, 56–61

Odocoileus, 162
  hemionus, 288, 344
  virginianus, 288
Oncorhynchus
  clarki, 240
  mykiss, 240
Ontogeny and description of eggs, larvae, and early juveniles of the fountain darter, *Etheostoma fonticola*, Thomas P. Simon, Thomas M. Brandt, Kerry G. Graves, and Bobby G. Whiteside, 208–215
Onychomys
  leucogaster, 162
  torridus, 344
Oochoristica scelopori, 331–333
Opalina, 112
  obtrigonoidea, 111
Ophryacus undulatus, 122
Opuntia, 102, 366, 428
  acanthocarpa, 367
  fragilis, 137
  imbricata, 355
  leptocaulis, 355
  ramosissima, 368
Orconectes neglectus, 312
Oreamnos americanus, 147
Oreopanax xalapensis, 122
Oreoscoptes montanus, 98, 357
Organochlorine concentrations in potential avian prey of breeding peregrine falcons in north-central New Mexico, Patricia L. Kennedy, Dale W. Stahlecker, and Jeanne M. Fair, 94–100
Õrstan, Aydin, A new species of bdelloid rotifer from Sonora, Mexico, 255–258
Orthogeomys
  cherriei, 412, 413
  hispidus, 411–414
Oryzopsis hymenoides, 281–287
Osmia subfaciata, 429
Ostrya virginiana, 130, 131, 135, 138
Oswaldocruzia pipiens, 111–114
Otus flammeolus, 80
Overlap in habitat and food use between coyotes and San Joaquin kit foxes, P. J. White, Katherine Ralls, and Callie A. Vanderbilt White, 342–349
Ovibos moschatus, 147
Ovis
  ammon, 147
  canadensis, 139–147
  dalli, 147
  nivicola, 147
  vignei, 147
Oxalis stricta, 137
Oxygen concentration and substrate on seed germination and seedling growth of Texas wildrice (*Zizania texana*), effects of, Paula Power and Paul J. Fonteyn, 1–4

Panicum virgatum, 137
Panthera
  leo, 226
  onca, 155
Pantosteous clarki, 304
Pappogeomys merriami, 410–411
Parapholido incurvae, 394, 395, 402, 403
Parapholis incurva, 394, 398, 402, 403
Parasites of the pickerel frog, *Rana palustris* (Anura: Ranidae), from the southern part of its range, Chris T. McAllister, Stanley E. Trauth, and Charles R. Bursey, 111–116
Parus
  bicolor, 167
  caeruleus, 167

carolinensis, 167
gambeli, 76, 80, 81
inornatus, 88
major, 167
wollweberi, 232
Passer domesticus, 167
Passerculus sandwichensis, 358
Passerella iliaca, 81
Passerina
ciris, 355, 357
versicolor, 357
Pedretti, John W., see Deacon, James E., —
Pegano, 402
Peinado, Manual, Francisco Alcaraz, Juan Luis Aguirre, José Delgadillo, and Julio Álvarez, Similarity of zonation within Californian-Baja Californian and Mediterranean salt marshes, 388–405
Pelocoris, 249–254
biimpressus, 249–251, 253
carolinensis, 249–251, 253
femoratus, 249–251, 253
shoshone, 249
Pelocoris (Hemiptera: Naucoridae) fauna of Texas, the, Robert W. Sites and John T. Polhemus, 249–254
Pendleton, Grey W., see Clark, Donald R., Jr., and —
Penstemon, 182
Perca flavescens, 214
Percidae, 316, 319, 422–425
Percina, 319
caprodes, 214
macrolepida, 214
pantherina, 374, 376
Pereyra, Maria E., see Morton, Martin L., —
Perognathus, 104–107
apache, 104
flavescens, 104
flavus, 104, 106
inornatus, 344
longimembris, 281, 283–286
parvus, 18–28, 104, 106
Peromyscus, 53, 162
attwateri, 45
crinitus, 284
leucopus, 42–49
maniculatus, 18–28, 51, 52, 281, 283–286, 344
truei, 18–28
Peropteryx macrotis, 29, 31, 33–35, 37
Petromyzontidae, 316
Phainopepla nitens, 357
Phalaenoptilus nuttalli, 357
Pheucticus melanocephalus, 233
Philodinidae, 255
Phoxinus erythrogaster, 310
Phragmites communis, 264
Phrynosomatidae, 330–333
Phyllonycteris, 35
Phyllophaga, 162
Physalis, 162
Physaloptera
ranae, 113
retusa, 331–333
Pica pica, 95, 288
Picoides
borealis, 170
scalaris, 357
villosus, 80, 97
Pimephales promelas, 219
Pinus
cembroides, 186
cooperi, 228
echinata, 63
edulis, 180, 282
engelamanii, 340
engelmannii, 186
leiophylla, 232, 340
monophylla, 19, 77
patula, 122
ponderosa, 130, 131, 135, 137, 138, 180, 340, 420, 421
remota, 428
sabiniana, 86
taeda, 63
Pipilo
chlorurus, 80
erythrophthalmus, 86, 98
fuscus, 86, 357
Piranga
flava, 80, 81
ludoviciana, 76, 80
Pituophis melanoleucus, 341
Plantago
patagonica, 137
rugelii, 224
Platanaus wrightii, 186
Platanus wrightii, 407
Platygonus compressus, 293–296
Platyrhacidae, 56–61
Plecoglossus altivelis, 243
Pleoroxus hamulatus, 323
Pliocercus elapoides, 122
Poa pratensis, 137
Podocnemis unifilis, 156
Poeciliidae, 316
Pogue, Darrell W., and William A. Carter, Breeding biology of secondary cavity-nesting birds in Oklahoma, 167–173
Polhemus, John T., see Sites, Robert W., and —
Polioptila melanura, 357
Polistes, 162
Polydesmida, 56–61
Polymorphus acutis, 326
Polypogon monspeliensis, 394, 396, 401, 403
Pooecetes gramineus, 99
Population characteristics of red-tailed hawks wintering on tallgrass prairies in Oklahoma, James W. Lish and Lurinda J. Burge, 174–179
Populus, 260–263, 265
deltoides, 131, 135
fremontii, 259, 264, 406–409
grandidentata, 135
sargentii, 288
tremuloides, 135
Porlieria angustifolia, 355
Porrocaecum crassum, 326
Power, Paula, and Paul J. Fonteyn, Effects of oxygen concentration and substrate on seed germination and seedling growth of Texas wildrice (*Zizania texana*), 1–4
Predators of Chiricahua fox squirrels (*Sciurus nayaritensis chiricahuae*), potential, Mary C. Kneeland, John L. Koprowski, and Michelle C. Corse, 340–342
Prionus, 162
Procyon lotor, 46, 154, 288, 415
Pronghorn home range relative to permanent water in southern New Mexico, F. Clemente, R. Valdez, J. L. Holechek, P. J. Zwank, and M. Cardenas, 38–41
Prosopis, 102, 261
glandulosa, 260, 262–265, 274, 355
juliflora, 415
pubescens, 260, 262–264
Prunus, 162
Psaltriparus minimus, 88, 232
Pseudoeurycea belli, 122
Pseudois
nayaur, 147
schaeferi, 147
Pseudosida, 323
Pseudotsuga menziesii, 340
Psilochasmus oxyurus, 326
Psilotrema, 325, 326
Pteronotus
davyi, 32, 35, 37
parnellii, 32, 35, 37
Puccinellia
maritima, 389
phryganodes, 389
Puccinellietea phryganodis, 388–391
Puccinellio, 395
festuciformis, 394, 403
maritimae, 393, 403
Puma concolor, 148–159, 226–227
Pyrocephalus rubinus, 357
Pyrrhopappus multicaulis, 271

Quercus
arizonica, 186, 232, 340
douglasii, 86
eduardii, 228
emoryi, 186, 232, 340
gambelii, 180
hypoleucoides, 186, 340
lobata, 86
macrocarpa, 135, 138
marilandica, 168
pungens, 428
reticulata, 186

stellata, 168
virginiana, 274
wislizenii, 86
Quiscalus mexicanus, 358

Ralls, Katherine, see White, P. J., —
Rana
berlandieri, 113
catesbeiana, 112, 113
clamitans, 113
palustris, 111–116
pipiens, 113
septentrionalis, 113
sphenocephala, 113
sylvatica, 113
utricularia, 112
Ranidae, 111–116
Redescription and rediagnosis of *Tantilla shawi* (Serpentes: Colubridae) from the Sierra Madre Oriental of Mexico, Jonathan A. Campbell, José L. Camarillo R., and Paul C. Ustach, 120–123
Redfieldia flexuosa, 134
Regulus calendula, 80
Reithrodontomys, 162
Reproduction in the lyre snake, *Trimorphodon biscutatus* (Colubridae), from Arizona, Stephen R. Goldberg, 334–335
Reproduction in the western patchnose snake, *Salvadora hexalepis*, and the mountain patchnose snake, *Salvadora grahamiae* (Colubridae), from Arizona, Stephen R. Goldberg, 119–120
Reproductive biology of the Rio Grande chub, *Gila pandora* (Teleostomi: Cypriniformes), in a montane stream, New Mexico, John N. Rinne, 107–110
Reproductive biology of the Rio Grande sucker, *Catostomus plebeius* (Cypriniformes), in a montane stream, New Mexico, John N. Rinne, 237–241
Reproductive characteristics of a green iguana (*Iguana iguana*) population on the west coast of Mexico, Javier Alvarado, Laura Ibarra, Ireri Suazo, Gerardo Rodríguez, and Rasalba Zamora, 234–237
Reproductive characteristics of the hispid pocket gopher (*Orthogeomys hispidus hispidus*) in Veracruz, Mexico, Beatriz Villa-Cornejo and Richard M. Engeman, 411–414
Rhabdias ranae, 114, 328, 329
Rhadinaea decorata, 122
Rhamnus californica, 86
Rhinichthys cataractae, 240
Rhinicthys osculus, 304
Rhizophoro mangle, 388–391
Rhogeessa
aeneus, 34
tumida, 34
Rhus
diversiloba, 86
glabra, 137
trilobata, 186
Rinne, John N., Reproductive biology of the Rio Grande chub, *Gila pandora* (Teleostomi: Cypriniformes), in a montane stream, New Mexico, 107–110
Rinne, John N., Reproductive biology of the Rio Grande sucker, *Catostomus plebeius* (Cypriniformes), in a montane stream, New Mexico, 237–241
Robinia neomexicana, 186, 289
Rodríguez, Gerardo, see Alvarado, Javier, —
Rodriguez-Almaraz, Gabino A., and Antonio Leija-Tristan, Cladocerans (Brachiopoda: Anomopoda; Ctenopoda) of the Nuevo Leon state, Mexico, 322–324
Root distribution patterns of common curlymesquite and sideoats grama on two Texas rangeland sites, C. K. Yoder, T. L. Thurow, D. H. Carlson, and B. L. Caesar, 273–280
Rosa, 162
arkansana, 137
Rowley's palm pitviper, *Bothriechis rowleyi* (Serpentes: Viperidae), a Mexican relict, a new locality for, Ronald L. Gutberlet, Jr., 124–125
Rubus, 86, 87
Rudbeckia hirta, 137
Rupicapra rupicapra, 147

Salicornia, 401, 403
bigelovii, 393, 399
emerici, 393
ramosissima, 393, 396
Salicornietea, 388, 390
Salicornietum
bigelovii, 393, 394, 403
emerici, 393, 395, 403
ramosissimae, 393, 395, 403
Salicornion bigelovii, 391
Salix, 91, 107, 131, 238, 260–263, 265
amygdaloides, 135, 289
exigua, 135, 137, 264, 407
gooddingii, 259, 264
goodingii, 407
Salmo trutta, 240
Salpinctes obsoletus, 357
Salsola
kali, 225
soda, 396
Salsoletea vermiculatae, 402
Salvadora
grahamiae, 119–120
hexalepis, 119–120, 334
Salvelinus fontinalis, 240
Sarcocornia, 398, 401, 403
fruticosa, 393, 396, 401
pacifica, 393, 399, 401
perennis, 393, 396
Sarcocornietum
alpini, 393, 395, 403
fruticosae, 394, 395, 403
pacificae, 393, 394, 403
perennis, 393, 395, 403
Saueda vera, 402
Sauedetum verae, 395
Sayornis saya, 94, 97, 357
Scapholeberis, 322
kingi, 323, 324
Sceloporus
clarki, 116–118, 188, 190
graciosus, 116
jarrovii, 185, 187–191, 330–333
occidentalis, 116, 117
scalaris, 188
undulatus, 113, 198
variabilis, 122
virgatus, 116–118
Schmid, Jennifer L., Norman O. Dronen, and Merrill H. Sweet, III, Intestinal helminths of mottled ducks, *Anas fulvigula maculosa*, from the East Texas gulf coast, 325–327
Schmidt, Cheryl A., see Bich, Brian S., —
Sciaenidae, 316
Scincella gemmingeri, 122
Scirpus, 137
Sciurus
aberti, 420
arizonensis, 341
carolinensis, 341
deppei, 417
granatensis, 418
nayaritensis, 340–342
niger, 162, 341
richmondi, 416–418
variegatoides, 418
Scleropogon brevifolium, 355
Scott, Dave J., see Tischendorf, Jay W., —
Scott, Susan D., see Tischendorf, Jay W., —
Scutellaria lateriflora, 137
Searcocornia pacifica, 399
Selaginella peruviana, 428
Serpentes, 120–123, 124–125
Servín, Jorge, Carmen Huxley, and Elias Chacón, First record of the spotted skunk *Spilogale putorius* (Carnivora: Mustelidae) in the state of Durango, Mexico, 227–228
Seven avifaunal censuses spanning one-half century on an island of white firs (*Abies concolor*) in the Mojave Desert, Ned K. Johnson, 76–85
Shaw, William W., see McClure, Mark F., —
Sialia
currucoides, 83, 95

mexicana, 80, 88
sialis, 167
Sibon sartorii, 122
Sida crystallina, 323
Sididae, 323
Siemens, David H., and Erick Greene, Observations of Mexican jays (*Aphelocoma ultramarina*, Corvidae) overcoming defenses of two species of wooly bear caterpillars (Arctiidae), 232–233
Sighting of a large group of pumas (*Puma concolor*), a, Jay W. Tischendorf, Dave J. Scott, Susan D. Scott, and Bill Heicher, 226–227
Sigmodon hispidus, 162, 177
Silphidae, 50–55
Similarity of zonation within Californian-Baja Californian and Mediterranean salt marshes, Manual Peinado, Francisco Alcaraz, Juan Luis Aguirre, José Delgadillo, and Julio Álvarez, 388–405
Simocephalus serrulatus, 323, 324
Simon, Thomas P., Thomas M. Brandt, Kerry G. Graves, and Bobby G. Whiteside, Ontogeny and description of eggs, larvae, and early juveniles of the fountain darter, *Etheostoma fonticola*, 208–215
Sites, Robert W., and John T. Polhemus, The *Pelocoris* (Hemiptera: Naucoridae) fauna of Texas, 249–254
Sitta
canadensis, 80
carolinensis, 83
Small, Michael F., see Spiegel, Linda K., —
Smartt, Richard A., see Lucas, Spencer G., and —
Smith, Eric N., *Geophis rhodogaster* (Colubridae), an addition to the snake fauna of Mexico, 123–124
Smith, Felisa A., Den characteristics and survivorship of woodrats (*Neotoma lepida*) in the eastern Mojave Desert, 366–372
Smith, Geoffrey R., and Royce E. Ballinger, Substrate preference and perch height selection by hatchling lizards (*Sceloporus virgatus* and *S. clarki*), 116–118
Smith, Norman S., see McClure, Mark F., —
Smith, Rosemary J., and Bryce Heese, Carcass selection in a high altitude population of the burying beetle, *Nicrophorus investigator* (Silphidae), 50–55
Snell, Howard L., see Sugg, Derrick W., —
Sobolevicanthus filumferens, 326
Solidago
canadensis, 137
gigantea, 137
Sorex, 46
Sorghastrum nutans, 137
Southwestern Association of Naturalists Constitution, 435–441
Southwestern Association of Naturalists minutes of the annual business meeting Centenary College of Louisiana and Louisiana State University in Shreveport Friday, 7 April 1995, Laura L. Janecek, 448–451
Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers Centenary College, Shreveport, Louisiana Thursday, 6 April 1995, the, Laura L. Janecek, 442–447
Spartina, 395, 401, 403
densiflora, 393, 396, 398
foliosa, 393, 399
pectinata, 137
Spartinetea maritimae, 388, 390
Spartinetum
densiflorae, 393, 395, 398, 403
foliosae, 393, 394, 398, 403
Spartinion foliosae, 391
Spatial and seasonal variation in prey use by coyotes in north-central Kansas, Dennis E. Brillhart and Donald W. Kaufman, 160–166
Spatial habitat selection of roundtail chub (*Gila robusta*) in two central Arizona streams, Paul J. Barrett and O. Eugene Maughan, 301–307
Spauligodon giganticus, 331–333
Spawning behavior of the paleback darter, *Etheostoma pallididorsum*, (Percidae), Carol E. Johnston, 422–425
Spergularia
diandra, 396, 401
marina, 394, 399
media, 397, 401
Spermophilus
beecheyi, 344
townsendi, 290
townsendii, 341
tridecemlineatus, 162
Sphenopus divaricatus, 397, 402
Spiegel, Linda K., Michael F. Small, Judith Tom, and Tony C. Dao, An occurrence of long-range movement in the California pocket mouse (*Chaetodipus californicus*), 225–226
Spilogale putorius, 227–228
Spiroxys, 329
Spizella passerina, 232, 358
Sporobolus cryptandrus, 137
Sporobulus airoides, 355
Spotted skunk *Spilogale putorius* (Carnivora: Mustelidae) in the state of Durango, Mexico, first record of the, Jorge Servín, Carmen Huxley, and Elias Chacón, 227–228
Stahlecker, Dale W., see Kennedy, Patricia L., —
Stangl, Frederick B., Jr., see Austin, Terry A., and —
Sternella neglecta, 94
Stipa
comata, 137
leucotricha, 274
spartea, 137
Stizostedion vitreum, 214
Stone, H. Sheridan, see Morrison, Michael L., —
Storeria dekayi, 122
Stotz, Nancy G., and Russell P. Balda, Cache and recovery behavior of wild pinyon jays in northern Arizona, 180–184
Strongyloides, 326
Strongyluris similis, 331–333
Strophostyles leiosperma, 137
Stuart, James N., see Bermudez, Francisca C., —
Sturnella neglecta, 97, 347, 358
Sturnira lilium, 33
Sturnus vulgaris, 95
Suaeda, 403
esteroa, 399
fruticosa, 402
maritima, 396
moquinii, 400, 402
pruinosa, 394, 397, 402
splendens, 396
vera, 394, 397
Suaedetum
moquinii, 394, 403
pruinosae, 394, 402, 403
Suaedo splendentis, 393, 395, 403
Suazo, Ireri, see Alvarado, Javier, —
Substrate preference and perch height selection by hatchling lizards (*Sceloporus virgatus* and *S. clarki*), Geoffrey R. Smith and Royce E. Ballinger, 116–118
Sugg, Derrick W., Lee A. Fitzgerald, and Howard L. Snell, Growth rate, timing of reproduction, and size dimorphism in the southwestern earless lizard (*Cophosaurus texanus scitulus*), 193–202
Sweet, Merrill H., III, see Schmid, Jennifer L., —
Sylvilagus, 182
audubonii, 344
floridanus, 162
Symphoricarpos orbiculatus, 162
Synaptomys cooperi, 162

Tacha, Thomas C., see Ballard, Bart M., and —
Tachycineta
bicolor, 99
thalassina, 95, 357
Tamarix, 260–263, 265, 409
aphylla, 264
chinensis, 407
dioica, 259

passerinoides, 259
ramosissima, 259, 264
Tamiasciurus hudsonicus, 341
Tantilla
annulata, 122
atriceps, 122
bocourti, 122
briggsi, 122
calamarina, 122
canula, 122
cascadae, 122
coronadoi, 122
cuniculator, 122
deppei, 122
flavilineata, 122
gracilis, 122
hobartsmithi, 122
jani, 122
moesta, 122
nigriceps, 122
oaxacae, 122
planiceps, 122
reticulata, 122
rubra, 122
semicincta, 122
shawi, 120–123
slavensi, 122
striata, 122
supracincta, 122
taeniata, 122
tayrae, 122
wilcoxi, 122
yaquia, 122
Taraxacum officinale, 137
Taxidea taxus, 288–292
Tayassu, 295
Taylor, Christopher M., and Philip W. Lienesch, Environmental correlates of distribution and abundance for *Lythrurus snelsoni*: a range-wide analysis of an endemic fish species, 373–378
Taylor, Frances R., see Deacon, James E., —
Teleostei, 297–300
Teleostomi, 107–110
Temperature requirements for dormancy break and germination in achenes of the winter annual *Lindheimera texana* (Asteraceae), Carol C. Baskin, Jerry M. Baskin, and O. W. Van Auken, 268–272
Tenebrionidae, 162
Terrestrial plant communities of the middle Niobrara Valley, Nebraska, Gail E. Kantak, 129–138
Tessaria, 262, 265
sericea, 259, 264
Texas freshwater fish assemblages following three decades of environmental change, Allison A. Anderson, Clark Hubbs, Kirk O. Winemiller, and Robert J. Edwards, 314–321
Texas rat snake (*Elaphe obsoleta lindheimeri*) eggs and hatchlings from a communal nest, Donald R. Clark, Jr., and Grey W. Pendleton, 203–207
Thamnophis sumichrasti, 122
Thanatophilus lapponica, 50, 52–54
Theobroma cacao, 57
Thero, 388, 390
Thomomys, 53
bottae, 51, 344, 410, 411, 413
bulbivorous, 410
Thorn, Terri D., and Phillip J. Zwank, Actual and estimated protein and lipid content of cinnamon teal migrating through New Mexico, 229–231
Thryomanes bewickii, 86, 167, 357
Thubunaea intestinalis, 331–333
Thurow, T. L., see Yoder, C. K., —
Tilia americana, 130, 131, 135, 138
Time of spawning by desert sucker, Craig S. Ivanyi, Jeffrey P. Hill, and William J. Matter, 425–426
Tipton, Alan R., see Bergman, David L., —
Tischendorf, Jay W., Dave J. Scott, Susan D. Scott, and Bill Heicher, A sighting of a large group of pumas (*Puma concolor*), 226–227
Toepfer, Conrad, and John W. Fleeger, Effects of marsh-edge habitat variables on feeding success by juvenile bay whiff, *Citharichthys spilopterus* (Teleostei: Bothidae), 297–300
Tom, Judith, see Spiegel, Linda K., —
Toxicodendron rydbergii, 137
Toxostoma
curvirostre, 357
dorsale, 357
Tradescantia occidentalis, 137
Trauth, Stanley E., see McAllister, Chris T., —
Trichostrongylus tenuis, 326
Trifolium, 87
pratense, 137
repens, 224
Triglochin
maritimum, 389
maritimus, 399
palustre, 389
Trimorphodon biscutatus, 334–335
Trochilidae, 357
Troglodytes aedon, 80, 167, 355, 357
Trypanosoma
cruzi, 414
brucei, 26
Tumlison, Creed, see Tumlison, Renn, and —
Tumlison, Renn, and Creed Tumlison, Behavior and efficiency of juvenile armadillos (*Dasypus novemcinctus*) foraging on earthworms, 224–225
Turdus migratorius, 83, 95, 233
Typha latifolia, 264
Tyrannus
forficatus, 357
verticalis, 99
vociferans, 99

Ulmer, Frederick A., Jr., Northward extension of the range of Richmond's squirrel, *Sciurus richmondi*, 416–418
Ulmus
alata, 168
americana, 131, 135, 138
Urocyon cinereoargenteus, 101, 288, 340, 419
Urosaurus ornatus, 185, 187–191
Ursus americanus, 154
Ustach, Paul C., see Campbell, Jonathan A., —

Valdez, R., see Clemente, F., —
Valdez, Raul, see Bermudez, Francisca C., —
Van Auken, O. W., see Baskin, Carol C., —
Van Auken, O. W., see Bush, J. K., and —
Vargas, Jorge A., see Arita, Héctor T., and —
Variation in the deciduous dentition of pocket mice (Heteromyidae: *Perognathus* and *Chaetodipus*), Terry A. Austin and Frederick B. Stangl, Jr., 104–107
Verbena hastata, 137
Vermivora
celata, 80
virginiae, 80, 81
Veronica anagallis-aquatica, 137
Villa-Cornejo, Beatriz, and Richard M. Engeman, Reproductive characteristics of the hispid pocket gopher (*Orthogeomys hispidus hispidus*) in Veracruz, Mexico, 411–414
Villa-Cornejo, Beatriz, Richard M. Engeman, and William Lopez-Forment, A description of neonates of Merriam's pocket gopher (*Pappogeomys merriami merriami*), 410–411
Viola, 137
Viperidae, 124–125
Vireo
bellii, 357
gilvus, 80
solitarius, 80, 81, 99
Virginia opossum (*Didelphis virginiana*) in New Mexico, distribution and status of the, Francisca C. Bermudez, James N. Stuart, Jennifer K. Frey, and Raul Valdez, 336–340
Vitex gaumeri, 30
Vulpes
macrotis, 225, 342–349, 360
velox, 347
vulpes, 419

White, Callie A. Vanderbilt, see White, P. J., —
White, P. J., Katherine Ralls, and Callie

A. Vanderbilt White, Overlap in habitat and food use between coyotes and San Joaquin kit foxes, 342–349
Whiteside, Bobby G., see Simon, Thomas P., —
Winemiller, Kirk O., see Anderson, Allison A., —

Xyrauchen texanus, 241–244, 301

Yersinia pestis, 290
Yoder, C. K., T. L. Thurow, D. H. Carlson, and B. L. Caesar, Root distribution patterns of common curly-mesquite and sideoats grama on two Texas rangeland sites, 273–280
Yucca
angustissima, 186
brevifolia, 77
elata, 186
rostrata, 355
schidigera, 367
treculeana, 355

Zamora, Rasalba, see Alvarado, Javier, —
Zenaida
asiatica, 357
macroura, 97, 357
Zizania
aquatica, 1
texana, 1–4
Zonotrichia
atricapilla, 86
leucophrys, 66, 86, 358
Zostera marina, 393
Zwank, P. J., see Clemente, F., —
Zwank, Phillip J., see Thorn, Terri D., and —
Zygocotyle lunata, 326